


OXFORD TABLE ASSEMBLY INSTRUCTIONS



FOR DOMESTIC USE ONLY
IMPORTANT

PLEASE READ BEFORE YOU CONTINUE FURTHER

THE PRODUCT YOU HAVE PURCHASED WILL GIVE YOU MANY YEARS OF SERVICE IF YOU FOLLOW THE GUIDELINES FOR ITS SAFE ASSEMBLY AND PERIODIC MAINTENANCE AND CLEANING.

ASSEMBLE ON A SOFT CLEAN SURFACE.

DO NOT USE ANY TOOLS OTHER THAN THOSE SHOWN.

ANY SPANNERS OR ALLEN KEYS REQUIRED ARE INCLUDED WITH THE FITTINGS KIT.

DO NOT FOR ANY REASON USE A POWER TOOL TO ASSEMBLE THIS PRODUCT. ITS USE WILL INVALIDATE ANY CLAIM YOU MAY HAVE AND COULD MAKE THIS PRODUCT UNSAFE.


DEPENDING ON THE AMOUNT OF USE THIS PRODUCT RECEIVES IT MAY BE NECESSARY TO TIGHTEN UP THE FIXINGS FROM TIME TO TIME. THIS IS COMPLETELY NORMAL FOR ANY FLAT PACK FURNITURE.

DO NOT OVERTIGHTEN FIXINGS.

FOR CLEANING, YOU MAY USE A DAMP CLOTH (NOT WET). DO NOT USE POLISH, DETERGENT OR CHEMICAL CLEANERS.

THE SURFACE OF THIS ITEM IS NOT HEAT RESISTANT. ALWAYS USE A PLACE MAT UNDER HOT OR COLD ITEMS TO PREVENT MARKING.

OXFORD TABLE ASSEMBLY INSTRUCTIONS



PLEASE CHECK THAT YOU HAVE ALL THE PARTS LISTED BEFORE YOU START ASSEMBLING. IF YOU DO FIND THAT SOMETHING IS MISSING, DO NOT CONTINUE ASSEMBLY. PLEASE CONTACT YOUR SUPPLIER IMMEDIATELY.

PARTS LIST

NO.	DESCRIPTION	QTY
1	TABLE TOP	1PC
2	TABLE LEG	4PCS

HARDWARE LIST

NO.	DESCRIPTION	QTY
A	JCBB BOLTS 	8PCS
B	FLAT WASHER 	8PCS
C	SPRING WASHER 	8PCS
D	ALLEN KEY 	1PC


STEP 1

Place the Table Top(1) bottom-side up on a clean and soft surface.


Attach individual Table Leg(2) using JCBB Bolts(A), inserted with Spring Washer(C) and Flat Washer(B).

Tighten with Allen Key(D). Do not over-tighten JCBB Bolts(A).


Turn table right-side up with the help of another person.




STEP 2




STEP 3




STEP 4




STEP 5



THE USE OF POWER TOOLS TO ASSEMBLE THIS PRODUCT WILL INVALIDATE ANY CLAIM AND MAY DAMAGE THIS PRODUCT MAKING IT UNSAFE.



OXFORD CHAIR ASSEMBLY INSTRUCTIONS



FOR DOMESTIC USE ONLY
IMPORTANT

PLEASE READ BEFORE YOU CONTINUE FURTHER

THE PRODUCT YOU HAVE PURCHASED WILL GIVE YOU MANY YEARS OF SERVICE IF YOU FOLLOW THE GUIDELINES FOR ITS SAFE ASSEMBLY AND PERIODIC MAINTENANCE AND CLEANING.

ASSEMBLE ON A SOFT CLEAN SURFACE.

DO NOT USE ANY TOOLS OTHER THAN THOSE SHOWN.

ANY SPANNERS OR ALLEN KEYS REQUIRED ARE INCLUDED WITH THE FITTINGS KIT.

DO NOT FOR ANY REASON USE A POWER TOOL TO ASSEMBLE THIS PRODUCT. ITS USE WILL INVALIDATE ANY CLAIM YOU MAY HAVE AND COULD MAKE THIS PRODUCT UNSAFE.


DEPENDING ON THE AMOUNT OF USE THIS PRODUCT RECEIVES IT MAY BE NECESSARY TO TIGHTEN UP THE FIXINGS FROM TIME TO TIME. THIS IS COMPLETELY NORMAL FOR ANY FLAT PACK FURNITURE.

DO NOT OVERTIGHTEN FIXINGS.

FOR CLEANING, YOU MAY USE A DAMP CLOTH (NOT WET). DO NOT USE POLISH, DETERGENT OR CHEMICAL CLEANERS.

THE SURFACE OF THIS ITEM IS NOT HEAT RESISTANT. ALWAYS USE A PLACE MAT UNDER HOT OR COLD ITEMS TO PREVENT MARKING.

OXFORD CHAIR ASSEMBLY INSTRUCTIONS



PLEASE CHECK THAT YOU HAVE ALL THE PARTS LISTED BEFORE YOU START ASSEMBLING. IF YOU DO FIND THAT SOMETHING IS MISSING, DO NOT CONTINUE ASSEMBLY. PLEASE CONTACT YOUR SUPPLIER IMMEDIATELY.

PARTS LIST(FOR TWO CHAIRS)


NO.	DESCRIPTION	QTY
1	CHAIR BACK	2PCS
2	SIDE STRETCHERS	4PCS
3	FRONT SECTION	2PCS
4	BOTTOM STRETCHERS	4PCS
5	CHAIR SEAT	2PCS

HARDWARE LIST(FOR TWO CHAIRS)

NO.	DESCRIPTION	QTY
A	JCBC BOLTS	12PCS
B	SPRING WASHER	12PCS
C	FLAT WASHER	12PCS
D	SCREW	16PCS
E	ALLEN KEY	1PC

STEP 1


Attach the Side Stretchers(2) to the Chair Back(1) with Bolt(A), Spring Washer(B) and Flat Washer(C). Tighten up using Allen Key(E). Next, insert the Bottom Stretcher(4) to Chair Back(1) with screw(D) and use Phillips Screwdriver(Not Provided) to drive (D). Do not tighten completely at this time.



STEP 3



Place the Seat(5) bottom- side up on an elevated surface. Position the chair frame assembly with the legs facing up as shown.

Center the seat frame to the seat(5). Use a Phillips Screwdriver to drive screw(D) to fasten the seat to the Chair Frame.



STEP 2

Attach Front Section(3) to Side Stretchers(2) and Bottom Stretchers(4). Fasten (3) to (2)with Bolt(A), Spring Washer(B) and Flat Washer(C). Use Allen Key to tighten (A). Fasten (3) to (4) with Screw(D) and use Phillips Screwdriver (Not Provided) to drive (D). Fully tighten all the bolts and screw at this time.



THE USE OF POWER TOOLS TO ASSEMBLE THIS PRODUCT WILL INVALIDATE ANY CLAIM AND MAY DAMAGE THIS PRODUCT MAKING IT UNSAFE.

